

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/046,497	10/26/2001	Er-Xuan Ping	MTI-31041-A	8624	
22202	7590 08/02/2006		EXAM	EXAMINER	
WHYTE HIRSCHBOECK DUDEK S C			LE, THAO X		
555 EAST WELLS STREET SUITE 1900			ART UNIT	PAPER NUMBER	
	EE, WI 53202	2814			
			DATE MAILED: 08/02/200	DATE MAILED: 08/02/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/046,497	PING ET AL.				
Office Action Summary	Examiner	Art Unit				
•						
The MAILING DATE of this communication ap	Thao X. Le	2814				
Period for Reply		errospondonos adaress				
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a rep If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailir earned patent term adjustment. See 37 CFR 1.704(b).		nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 12 J	lune 2006					
,	·					
·—						
.—	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>101-116 and 123-224</u> is/are pending	in the application					
4a) Of the above claim(s) 101-116,123-142,15  5) ☐ Claim(s) is/are allowed.  6) ☒ Claim(s) 143-155,167-193 and 196-226 is/are  7) ☐ Claim(s) is/are objected to.  8) ☐ Claim(s) are subject to restriction and/o	<u>56-166,194 and 195</u> is/are withdraw	wn from consideration.				
Application Papers						
9) The specification is objected to by the Examina	er.					
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	* * * * * * * * * * * * * * * * * * * *					
Priority under 35 U.S.C. § 119						
<ul> <li>12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority document</li> <li>2. Certified copies of the priority document</li> <li>3. Copies of the certified copies of the priority document</li> <li>* See the attached detailed Office action for a list</li> </ul>	ts have been received.  Its have been received in Applicationity documents have been received in the control of	on No ed in this National Stage				
Attachment(s)						
1) Notice of References Cited (PTO-892)  A) Interview Summary (PTO-413)  Paper No(s)/Mail Date						
<ol> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date</li> </ol>		ate Patent Application (PTO-152)				

### **DETAILED ACTION**

### Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 225-226 are rejected under 35 U.S.C. 102(b) as being anticipated by JP401286361 to Matsumoto.

Regarding claim 225 and 226, Matsumoto discloses a raised structure in fig. 3 on a substrate 1 comprising a plurality of overlying layers 4/6 of epitaxial silicon, each of said silicon layer 4/6 having an upper surface comprising a plurality of facets, and sidewalls with an insulative layer 3 thereover, and wherein an uppermost silicon layer 6 comprises a conductivity enhancing dopant, see attached abstract and constitution.

3. Claims 143-144, 147, 149-153, 167, 169-170, 172-173, 175-176, 178-179, 181-193, and 196-223 are rejected under 35 U.S.C. 102(b) as being anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over JP401286361 to Matsumoto.

Regarding claims 143, 182, 186, 197, 201, Matsumoto discloses a semiconductor structure in fig. 3, comprising at least two overlying faceted layers 4/6 of single crystal epitaxial silicon (ES), each ES layer comprising a faceted surface comprising a plurality of facets, fig. 3, and sidewalls with insulative materials 3 thereover, and an uppermost faceted layer of at least two overlying layers of ES having

a layer of an insulative material 5 over the faceted surface of uppermost layer of ES, wherein the structure is situated on a substrate 1 in a vertical orientation, fig. 3 and attached abstract and constitution.

With respect to the 'single crystal", Matsumoto uses the SEG (selective epitaxial growth) that is a process that deposit single crystal silicon layers only on the exposed silicon substrate surface within the opening in the dielectric mask. Such definition can be found in Lee (US6228733) in col. 1 lines 20-25. When the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent. Or where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 195 USPQ 430, 433 (CCPA 1977) and MPEP 2112.01.

Regarding to claims 144, 147, Matsumoto discloses the semiconductor structure wherein the insulative crystal 5 comprises an oxide.

Regarding to claims 149, 190, 196, 198, 202, Matsumoto discloses a semiconductor structure in fig. 3, comprising at least two overlying faceted layers 4/6 of single crystal ES, each of said layers comprising a faceted surface comprising a plurality of facets, sidewalls, and an insulative materials 3 over the sidewalls, an uppermost layer of the at least two overlying layers 33/34 having a layer of an insulative material 41 over the top faceted surface, one or more of the layers of ES comprising a

conductivity enhancing dopant, see attached abstract and constitution, wherein the structure is situated on a substrate in a vertical orientation.

With respect to the 'single crystal", Matsumoto uses the SEG (selective epitaxial growth) that is a process that deposit single crystal silicon layers only on the exposed silicon substrate surface within the opening in the dielectric mask. Such definition can be found in Lee (US6228733) in col. 1 lines 20-25. When the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent. Or where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 195 USPQ 430, 433 (CCPA 1977) and MPEP 2112.01.

Regarding claims 150-153, Matsumoto discloses the conductivity enhancing dopant comprising a p-type dopant, which is selected from the group consisting of boron, wherein the conductivity enhancing dopant comprising a n-type dopant, which is selected from the group consisting of phosphine, see attached abstract and constitution.

Regarding claims 167, 169-170, 172, 175-176, 178-179, 181, 183-185, 187-189, 191-193 Matsumoto discloses the semiconductor structure being a component of a transistor, and being a S/D diffusion region, fig. 1-3.

Regarding to claims 173, 176, 199, Matsumoto discloses a semiconductor structure in fig. 3, comprising at least two overlying faceted layers 4/6 of single crystal epitaxial silicon (ES) including an uppermost faceted layers of single crystal ES 6; each

of said faceted layers comprising a faceted top surface comprising a plurality of facets, and insulated sidewalls, and the uppermost faceted layer of ES having an insulated top surface; the structure is situated on a substrate in a vertical orientation, wherein the structure being a component of a transistor, fig. 1-3.

With respect to the 'single crystal", Matsumoto uses the SEG (selective epitaxial growth) that is a process that deposit single crystal silicon layers only on the exposed silicon substrate surface within the opening in the dielectric mask. Such definition can be found in Lee (US6228733) in col. 1 lines 20-25. When the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent. Or where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 195 USPQ 430, 433 (CCPA 1977) and MPEP 2112.01.

Regarding to claims 179, 200, Matsumoto discloses a semiconductor structure in fig. 3, comprising at least two overlying faceted layers of single crystal ES 4/6, each said faceted layers comprising a faceted top surface comprising a plurality of facets, sidewalls, and insulative materials 3 over the sidewalls, an uppermost faceted layer 6 of ES of the at least two overlying faceted layers 4/6 having a layer of an insulative material 5 over the top surface, one or more of at least two overlying faceted layers of ES comprising a conductivity enhancing dopant wherein the structure is situated on a

substrate in a vertical orientation, and the structure being a component of a transistor, fig. 1-3.

With respect to the 'single crystal", Matsumoto uses the SEG (selective epitaxial growth) that is a process that deposit single crystal silicon layers only on the exposed silicon substrate surface within the opening in the dielectric mask. Such definition can be found in Lee (US6228733) in col. 1 lines 20-25. When the structure recited in the reference is substantially identical to that of the claims, claimed properties or functions are presumed to be inherent. Or where the claimed and prior art products are identical or substantially identical in structure or composition, or are produced by identical or substantially identical processes, a *prima facie* case of either anticipation or obviousness has been established. *In re Best*, 195 USPQ 430, 433 (CCPA 1977) and MPEP 2112.01.

Regarding claims 203-223, as discussed in the above claims 143, 149,173, 176, 179, 182, 186, 190, 196, 197-202, Matsumoto discloses the all the claimed structure limitations in claims 203-223. Claims 203-223 are product-by-process, thus <u>all the process limitations</u> in claims 203-223 do not carry weight in a claim drawn to structure. In re Thorpe, 277 USPQ 964 (Fed. Cir. 1985).

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Application/Control Number: 10/046,497

Art Unit: 2814

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

5. Claims 145-146, 148, 154-155, 168, 171, 174, 177, and 180 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP401286361 to Matsumoto in view of US 5483094 to Sharma et al.

Regarding claims 145-146 and 148, Matsumoto does not expressly disclose the thickness of the insulative layer comprises silicon nitride having thickness about 5 to 20 nm or 2 to 5 nm.

However, Sharma reference discloses an insulative layer 41/61 comprises silicon oxide and/or silicon nitride, col. 5 line 29-32, has a general thickness in fig. 12. Accordingly, it would have been obvious to one of ordinary skill in art to use the silicon nitride teaching Sharma in Matsumoto device in the range as claimed, because it has been held that where the general conditions of the claims are discloses in the prior art, it is not inventive to discover the optimum or workable range by routine experimentation. See In re Aller, 220 F.2d 454, 105 USPQ 233,

235 (CCPA 1955), and also because such material substitution would have been considered a mere substitution of art-recognized equivalent values, MPEP 2144.06.

Regarding claims 154-155, Matsumoto does not disclose the semiconductor structure wherein one or more of the layers of the ES comprises a concentration gradient of the dopant within the ES crystal, wherein the concentration gradient comprises a low to high concentration of the dopant within the ES, with the high dopant concentration at the top surface of the one or more of the layers.

However, Sharma discloses the semiconductor structure wherein one or more of the layers of the ES comprises a concentration gradient of the dopant within the ES crystal, wherein the concentration gradient comprises a low to high concentration of the dopant within the ES, with the high dopant concentration at the top surface of the one or more of the layers, column 3 line 55-67. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use grading doping teaching of Sharma with Matsumoto's device, because it would have created a hot electron injection as taught by Sharma in col. 3 lines 66-67.

Regarding claims 168, 171, 174, 177, and 180, Matsumoto does not disclose the semiconductor structure being a transistor gate.

A recitation of 'being a transistor gate' of the claimed invention does not result in a structural difference between the claimed invention and the prior art,

thus claimed invention is only an art recognized suitability for an intended purpose, MPEP 2144.07.

6. Claim 224 is rejected under 35 U.S.C. 103(a) as being unpatentable over JP401286361 to Matsumoto in view of US 5849077 to Kenney.

Regarding claim 224, Sharma does not disclose the semiconductor structure wherein the top surface of at lest one of epitaxial silicon crystal defines a face having a (100) plane orientation.

However, Kenney discloses a semiconductor structure in fig. 1m wherein the top surface of at lest one of epitaxial silicon crystal 19 defines a facet having a (100) plane orientation, column 4 line 39. The silicon substrate 1 is having a (100) plane orientation, column 4 line 11; thus the epitaxial layer 19 is having the same orientation. At the time the invention was made; it would have been obvious to one of ordinary skill in the art to use the (100) plane orientation 19 teaching of Kenney in Sharma's device, because the (100) plane orientation is greatly dominated the market as taught by Kenney, column 2 lines 28-30.

### Response to Arguments

- 7. Applicant's arguments filed 6/12/06 have been fully considered but they are not persuasive.
  - a. The Applicant argues that Matsumoto does not describe at least two overlying layers of epitaxial silicon because base area 6 is not a separate layer; it is part of SEG area 4. This is not persuasive because Matsumoto is clearly show

Application/Control Number: 10/046,497

Art Unit: 2814

two separate epitaxial layers 4 and 6 as shown in fig. 3(b). In addition, as layer 4 being deposited on the substrate 1, it would have comprising multiple sub-layers that would constitute for layer 4. Thus, the final structure would be a continuous epitaxial layer with a desired thickness. Furthermore, making integral, separable or continuous would have been obvious. In re Larson, 340 F.2d 965, 968, 144 USPQ 347, 349 (CCPA 1965), In re Dulberg, 289 F2d 522, 523, 129 USPQ 348, 349 (CCPA 1961), In re Dilnot, 319 F.2d 188, 138 USPQ 248 (CCPA 1963) or MPEP 2144.04.

Page 10

- b. The Applicant argues that Sharma does not disclose a silicon nitride layer. The layer 61 of Sharma comprises oxide/nitride/oxide, col. 5 line 30. In addition, Sharma discloses silicon oxide and silicon nitride are interchangeable dielectric, col. 8 lines 32. Thus, such material substitution (silicon oxide vs. silicon nitride) would have been considered a mere substitution of art-recognized equivalent values. MPEP 2144.06.
- c. The Applicant argues that Sharma does not disclose the dielectric layer having a 2-5 nm thickness. Since the applicant has not established the criticality of the thickness stated and since these the thickness are in common use in similar devices in the art, it would have been obvious to one of ordinary skill in the art to use these value in the device of the thickness. Where patentability is said to be based upon particular chosen dimension or upon another variable recited in a claim, the applicant must show that the chosen dimensions are

Application/Control Number: 10/046,497 Page 11

Art Unit: 2814

critical. In re Woodruff, 919 F2d 1575, 1578, 16 USPQ2d 1934, 1936 (Fed. Cir. 1990).

### Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao X. Le whose telephone number is (571) 272-1708. The examiner can normally be reached on M-F from 8:00 AM - 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wael M. Fahmy can be reached on (571) 272 -1705. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/046,497 Page 12

Art Unit: 2814

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thao X. Le 20 July 2006